

# SCRUBBER-DRYER



*Run20*

Besides being able to operate with excellent results in large areas, 'ride-on' scrubber-dryer RUN 20 is so compact and easily handled that it is also suitable for use in medium/small spaces.

RUN 20 can clean floor surfaces of various kinds soiled with different types of dirt.

In order to function in the best possible way, the machine provides three types of wash thus, using three simple keys, the operator can choose between SOFT – MEDIUM – HARD scrubber/dryer cycles. By choosing the cycle mode, the operator also selects the quantity of water used to wash the floor, the percentage of detergent in the solution and the pressure exercised by the brushes on the ground. Different types of brushes or pads can be used to optimize the cleaning operations.

The SOFT mode provides a SILENT operating version for places where a non-intrusive noise level is required.

The electric range and tank capacity ensure that this scrubber/dryer is always able to provide an optimum performance.

RUN 20 is also equipped with a set of automatic functions, such as automatic lifting of the floor cleaner at rest and in reverse, rider present micro, automatic parking brake, recovered water quantity detector. The control panel has an interactive display showing the number of hours worked.

The battery charge is connected to a Cut Off which shuts off the functions in relation to the battery state. Alarms caused by technical faults are also shown.

Thanks to its traction motor power and efficient mechanical drum brake system, the scrubber/dryer is also able to travel over ramps.

RUN 20 obviously conforms to all the relative laws and regulations in force.



DOUBLE SUCTION MOTOR

TRACTION BATTERY FOR SUPERIOR RELIABILITY AND RANGE

OPERATOR/SERVICEMAN INTERACTIVE DISPLAY

SEPARATE DETERGENT WITH BUILT-IN DISPENSER

AUTOMATIC BRUSH AND FLOOR CLEANER LIFT

EASY ACCESS FOR CLEANING TANKS

LARGE DIAMETER WHEELS

HIGH PRESSURE BY BRUSHES. CAN BE SET VIA DISPLAY



EVERYTHING IN FULL VIEW



HIGH QUALITY MATERIALS AND PROCESSES



RAPID MAINTENANCE



EXTREMELY AGILE, EASY TO HANDLE IN TIGHT SPACES



EXCELLENT TRACTION, EVEN UP SLOPES



# Run20



### CHARACTERISTICS

Model		<b>Run20</b>
Working width	mm	960
Floor scrubber width	mm	1170
Theoretic operating capacity	m <sup>2</sup> /h	6700
Power supply	V	24
Total power	W	2840
Drive		Electric

### BRUSHES

Diameter/Quantity	mm/n.	485/2
Motor: Quantity/Power	n./W	2/400
Brush rpm	rpm	180
Load on brushes	Kg	55-100

### DRIVE TRAIN

Motor	W	1000
Maximum speed	km/h	7
Climable gradient	%	15-18*

### SUCTION

Motor: Quantity/Power	n./W	2/500
Air flow rate	l/sec	45
Aspiration vacuum	mm H2O	2050

### FLOW RATE OF FLUIDS

water flow	l/min	1,2 / 2,4 / 3,8
detergent flow rate	%	0,6 / 1,5 / 3,0

### TANKS

Type		Triple tank
Tank capacities (Clean/Dirty)	l	145/165/5

### BATTERIES

Capacity	V/Ah	24 / 420
Operating capacity	h	4

### DIMENSIONS

Length/Width/Height	mm	1810x1015x1490
u-turn corridor	mm	2900

### WEIGHTS

Without batteries	kg	360
With batteries		700
Batteries		340

### NOISE LEVEL

Noise level	dB(A)	68
Noise level soft modality	dB(A)	62



DEALER